

# Gotharman's Audio Output Expansion

*For Little deFormer 2*



## User Manual

# **Contents Of This Manual**

<b>Functionality</b>	<b>3</b>
<b>Connecting</b>	<b>4</b>

## **Functionality**

Thank you very much for purchasing/consider to purchase a Gotharman's Audio Output Expansion Box for Little deFormer 2.

When connecting the Audio Output Expansion to your Little deFormer 2's Audio Port, you will get a separate audio output for each of Little deFormer 2's 4 audio busses.

The outputs you use, are not automatically muted on the main outputs 1 and 2. To mute any signals from the main outputs, you must go to the "OUTPUT SELECT" page in the "COMMON" menu, and switch the busses to the "Off" position.

This box will work with any firmware version of Little deFormer 2.

I hope you will enjoy it.

## **Connecting The Output Expansion Box**

For connecting Output Expansion to your Little deFormer 2, you will need the 76 cm long 15-way cable, that was supplied together with your Output Expansion.

### **Connecting:**

- Make sure, that your Little deFormer 2 is turned off.
- Connect one end of the cable to the 15-way “Audio Port” on your Little deFormer 2, and the other end to the 15-way port on the Output Expansion.
- Turn on your Little deFormer 2.
- Assign sample slots to different audio busses, and check it out.

Written by  
Flemming Christensen  
”Gotharman”  
2015

[www.gotharman.dk](http://www.gotharman.dk)